

上海慧蓝生物科技有限公司 Shanghai Huilan Biological Technology Co. Ltd

产品说明书

GAPDH (Y0582) Rabbit mAb

货号: HL18394

| 产品名称 | GAPDH (Y0582) Rabbit mAb |
|-----------|--|
| 来源宿主 | Rabbit |
| 反应种属 | Human, Mouse, Rat, |
| 克隆类型 | Rabbit monoclonal |
| 克隆号 | Y0582 |
| 同种型 | IgG |
| 标记 | unconjugated |
| 纯化方式 | Protein A affinity purified. |
| 形式 | Liquid |
| 存储溶液 | PBS (pH7.4),50% Glycerol,0.05% BSA,0.05% Proclin 300 |
| 存储方式 | Store at +4°C after thawing. Aliquot store at -20°C. Avoid repeated freeze / thaw cycles. |
| 应用 | WB,IHC,mIHC,IF |
| 使用方法 | IHC 1:1000-1:2500;mIHC 1:1000-1:2500;WB 1:5000-1:25000;IF 1:100-1:500 |
| 有效期 | one year |
| 别名 | GAPDH;GAPD;CDABP0047;OK/SW-cl.12;Glyceraldehyde-3-phosphate dehydrogenase;GAPDH;Peptidyl-cysteine S-nitrosylase GAPDH |
| SwissProt | P04406 |
| 细胞定位 | Cytoplasm, Nucleus |
| 分子量 | 38kD |
| 产品介绍 | glyceraldehyde-3-phosphate dehydrogenase (GAPDH) Homo sapiens This gene encodes a member of the glyceraldehyde-3-phosphate dehydrogenase protein family. The encoded protein has been identified as a moonlighting protein based on its ability to perform mechanistically distinct functions. The product of this gene catalyzes an important energy-yielding step in carbohydrate metabolism, the reversible oxidative phosphorylation of glyceraldehyde-3-phosphate in the presence of inorganic phosphate and nicotinamide adenine dinucleotide (NAD). The encoded protein has additionally been identified to have uracil DNA glycosylase activity in the nucleus. Also, this protein contains a peptide that has antimicrobial activity against E. coli, P. aeruginosa, and C. albicans. Studies of a similar protein in mouse have assigned a variety of additional functions including nitrosylation of nuclear proteins, the regulation of mRNA stability, and acting as a transferri |

For research use only!